

PPG Deluxe Hydrogen Peroxide 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.
Reference number: ALCH1005805WW/ALCH1005820WW
Issue date: 17/02/2023 Revision date: 20/03/2024 Supersedes: 17/02/2023 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : PPG Deluxe Hydrogen Peroxide 30%
Product code : 2007555050/2007555200
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Distributor

Golden Coast Ltd
Fishleigh Road
EX31 3UA Devon Barnstaple
UK
T +44 1271 348100
www.goldenc.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	OHES Environmental		0844 560 5341	Intended for general public
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GB CLP (SI 2019:720 as amended)

Acute toxicity (oral), Category 4 H302
Serious eye damage/eye irritation, Category 1 H318
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes serious eye damage.

2.2. Label elements

Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP) :



GHS05

GHS07

Signal word (GB CLP) :

Danger

Contains

hydrogen peroxide solution... %

PPG Deluxe Hydrogen Peroxide 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Hazard statements (GB CLP)	: H302 - Harmful if swallowed. H318 - Causes serious eye damage.
Precautionary statements (GB CLP)	: P280 - Wear protective gloves, protective clothing, face protection, eye protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. P501 - Dispose of contents and container to an approved waste disposal plant.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with UK REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Labelling according to GB CLP (SI 2019:720 as amended)
hydrogen peroxide solution... %	CAS-No.: 7722-84-1 EC-No.: 231-765-0 UK Index-No.: 008-003-00-9	25-30	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
hydrogen peroxide solution... %	CAS-No.: 7722-84-1 EC-No.: 231-765-0 UK Index-No.: 008-003-00-9	(5 \leq C < 8) Eye Irrit. 2, H319 (8 \leq C < 50) Eye Dam. 1, H318 (35 \leq C < 50) Skin Irrit. 2, H315 (35 \leq C \leq 100) STOT SE 3, H335 (50 \leq C < 70) Ox. Liq. 2, H272 (50 \leq C < 70) Skin Corr. 1B, H314 (70 \leq C \leq 100) Ox. Liq. 1, H271 (70 \leq C \leq 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Immediately remove contaminated clothing or footwear.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
-----------------------------------	---

PPG Deluxe Hydrogen Peroxide 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Symptoms/effects after eye contact : Serious damage to eyes.
Symptoms/effects after ingestion : May cause stomach cramps and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Explosion hazard : Reactions with explosion hazards: see "Reactivity Hazard".
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information : Prevent fire fighting water from entering the environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.
Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

PPG Deluxe Hydrogen Peroxide 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Keep cool. Protect from sunlight.
Storage temperature	: 5 – 30 °C
Packaging materials	: Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

hydrogen peroxide solution... % (7722-84-1)	
United Kingdom - Occupational Exposure Limits	
Local name	Hydrogen peroxide
WEL TWA (OEL TWA)	1.4 mg/m ³
	1 ppm
WEL STEL	2.8 mg/m ³
	2 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

hydrogen peroxide solution... % (7722-84-1)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	3 mg/m ³
Long-term - local effects, inhalation	1.4 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	1.93 mg/m ³
Long-term - local effects, inhalation	0.21 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	0.0126 mg/l
PNEC aqua (marine water)	0.0126 mg/l
PNEC aqua (intermittent, freshwater)	0.0138 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.047 mg/kg dwt
PNEC sediment (marine water)	0.047 mg/kg dwt

PPG Deluxe Hydrogen Peroxide 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

hydrogen peroxide solution... % (7722-84-1)	
PNEC (Soil)	
PNEC soil	0.0023 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	4.66 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment - Report preview:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection - Report preview:

Safety glasses

Eye protection			
Type	Field of application	Characteristics	Standard
Safety goggles	Droplet		EN 166

8.2.2.2. Skin protection

Skin and body protection - Report preview:

Wear suitable protective clothing

Hand protection - Report preview:

Protective gloves against chemicals (EN 374)

8.2.2.3. Respiratory protection

Respiratory protection - Report preview:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Not available

PPG Deluxe Hydrogen Peroxide 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Appearance	: Colorless to pale yellow liquid.
Odour	: odourless.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: 100 °C
Flammability	: Non flammable.
Explosive properties	: Product is not explosive.
Explosive limits	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 1 – 4
Viscosity, kinematic	: Not available
Solubility	: completely soluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1144.6 kg/m ³
Relative density	: 1.145
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Heating may cause a fire or explosion. Liquids/vapours may ignite or react with other materials.

10.4. Conditions to avoid

Heat. Direct sunlight.

10.5. Incompatible materials

Combustible materials. Metals. Organic materials. Strong bases. reducing materials.

10.6. Hazardous decomposition products

oxygen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

PPG Deluxe Hydrogen Peroxide 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

PPG Deluxe Hydrogen Peroxide 30%	
ATE GB CLP (oral)	500 mg/kg bodyweight
hydrogen peroxide solution... % (7722-84-1)	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other., Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met). pH: 1 – 4
Serious eye damage/irritation	: Causes serious eye damage. pH: 1 – 4
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

hydrogen peroxide solution... % (7722-84-1)	
LC50 - Fish [1]	16.4 mg/l Test organisms (species): Pimephales promelas
EC50 72h - Algae [1]	1.38 mg/l Test organisms (species): Skeletonema costatum
LOEC (chronic)	1.25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.63 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

12.2. Persistence and degradability

PPG Deluxe Hydrogen Peroxide 30%	
Persistence and degradability	Rapidly degradable
hydrogen peroxide solution... % (7722-84-1)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

PPG Deluxe Hydrogen Peroxide 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

12.6. Other adverse effects

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.
European List of Waste (LoW, EC 2000/532)	: 20 01 14* - acids

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 2014	UN 2014	UN 2014	UN 2014	UN 2014
14.2. UN proper shipping name				
HYDROGEN PEROXIDE, AQUEOUS SOLUTION	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	Hydrogen peroxide, aqueous solution	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Transport document description				
UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II, (E)	UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II	UN 2014 Hydrogen peroxide, aqueous solution, 5.1 (8), II	UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II	UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II
14.3. Transport hazard class(es)				
5.1 (8)	5.1 (8)	5.1 (8)	5.1 (8)	5.1 (8)
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment: Dangerous for the environment	Dangerous for the environment: Dangerous for the environment Marine pollutant: No	Dangerous for the environment: Dangerous for the environment	Dangerous for the environment: Dangerous for the environment	Dangerous for the environment: Dangerous for the environment
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: OC1
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2

PPG Deluxe Hydrogen Peroxide 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Packing instructions (ADR)	: P504, IBC02
Special packing provisions (ADR)	: PP10, B5
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2, TP6, TP24
Tank code (ADR)	: L4BV(+)
Tank special provisions (ADR)	: TU3, TC2, TE8, TE11, TT1
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Hazard identification number (Kemler No.)	: 58
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2P

Transport by sea

Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P504
Special packing provisions (IMDG)	: PP10
IBC packing instructions (IMDG)	: IBC02
IBC special provisions (IMDG)	: B5
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2, TP6, TP24
EmS-No. (Fire)	: F-H
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: D
Stowage and handling (IMDG)	: SW1
Segregation (IMDG)	: SGG16, SG16, SG59, SG72
Properties and observations (IMDG)	: Colourless liquid. Slowly decomposes, evolving oxygen; the rate of decomposition increases in contact with metals, except aluminium. In contact with combustible material may cause fire or explosion. Causes burns to skin, eyes and mucous membranes. Even though stabilized, these solutions may evolve oxygen.

Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y540
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 550
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 554
CAO max net quantity (IATA)	: 5L
ERG code (IATA)	: 5C

Inland waterway transport

Classification code (ADN)	: OC1
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: OC1
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P504, IBC02

PPG Deluxe Hydrogen Peroxide 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Special packing provisions (RID)	: PP10, B5
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP2, TP6, TP24
Tank codes for RID tanks (RID)	: L4BV(+)
Special provisions for RID tanks (RID)	: TU3, TC2, TE8, TE11, TT1
Transport category (RID)	: 2
Special provisions for carriage - Loading, unloading and handling (RID)	: CW24
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 58

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

List of substances which are not to be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Hydrogen peroxide	7722-84-1	12 % w/w	35% w/w	2847 00 00	ex 3824 99 96

Please see https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives_en

PPG Deluxe Hydrogen Peroxide 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. United Kingdom

UK REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

UK REACH Candidate List (SVHC)

Contains no substance(s) listed on the UK REACH Candidate List

15.2. Chemical safety assessment

A chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet

PPG Deluxe Hydrogen Peroxide 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Abbreviations and acronyms:	
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
Ox. Liq. 1	Oxidising Liquids, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), UK

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.