

PPG Deluxe Multifunctional 4-1 Chlora Tab (without Copper Sulphate)

Safety Data Sheet

*** DRAFT ***

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.
Reference number: EUR10012D
Issue date: 22/12/2022 Revision date: 16/02/2024 Supersedes: 22/12/2022 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : PPG Deluxe Multifunctional 4-1 Chlora Tab (without Copper Sulphate)
Product code : 2007541050
Type of product : Biocidal products (e.g. Disinfectants, pest control)
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use
Use of the substance/mixture : Bactericide
Function or use category : Pesticides, non-agricultural (Biocides), Oxidising agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Distributor

Golden Coast Ltd
Fishleigh Road
EX31 3UA Devon Barnstaple
UK
T +44 1271 348100
www.goldenc.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	OHES Environmental		0844 560 5341	Intended for general public
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GB CLP (SI 2019:720 as amended)

Oxidising Solids, Category 2 H272
Acute toxicity (oral), Category 4 H302
Serious eye damage/eye irritation, Category 1 H318
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H335
Hazardous to the aquatic environment – Acute Hazard, Category 1 H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1 H410
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May intensify fire; oxidiser. Harmful if swallowed. May cause respiratory irritation. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.

PPG Deluxe Multifunctional 4-1 Chlori Tab (without Copper Sulphate)

Safety Data Sheet

*** DRAFT ***

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

2.2. Label elements

Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP)



GHS03

GHS05

GHS07

GHS09

Signal word (GB CLP)

: Danger

Contains

: Aluminium sulphate

Hazard statements (GB CLP)

: H272 - May intensify fire; oxidiser.

H302 - Harmful if swallowed.

H318 - Causes serious eye damage.

H335 - May cause respiratory irritation.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (GB CLP)

: P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 - Avoid breathing gas, dust, vapours.

P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, face protection, eye protection.

P370+P378 - In case of fire: Use media other than water to extinguish.

P391 - Collect spillage.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents and container to an approved waste disposal plant.

EUH-statements (GB CLP)

: EUH031 - Contact with acids liberates toxic gas.

EUH206 - Warning! Do not use together with other products. May release dangerous gases (chlorine).

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with UK REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Labelling according to GB CLP (SI 2019:720 as amended)
symclosene; trichloroisocyanuric acid; trichloro-1,3,5-triazinetrion (Active substance (Biocide))	CAS-No.: 87-90-1 EC-No.: 201-782-8	≥ 80	Ox. Sol. 2, H272 Acute Tox. 4 (Oral), H302 (ATE=406 mg/kg bodyweight) Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

PPG Deluxe Multifunctional 4-1 Chlори Tab (without Copper Sulphate)

Safety Data Sheet

*** DRAFT ***

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell. If swallowed, do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Irritation (itching, redness, blistering).
Symptoms/effects after eye contact	: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: May intensify fire; oxidiser.
Hazardous decomposition products in case of fire	: Chlorine.

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
-----------------	---------------------

PPG Deluxe Multifunctional 4-1 Chlори Tab (without Copper Sulphate)

Safety Data Sheet

*** DRAFT ***

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

- Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Hazardous waste due to potential risk of explosion.
- Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Keep away from (strong) acids.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Keep out of reach of children.
- Incompatible products : Strong bases. Strong acids.
- Incompatible materials : Direct sunlight. Sources of ignition. Combustible materials. Heat sources.
- Maximum storage period : ≈ 60 months
- Storage temperature : 5 – 30 °C
- Packaging materials : Product must only be kept in the original packaging.

7.3. Specific end use(s)

Pesticides, non-agricultural (Biocides).

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

PPG Deluxe Multifunctional 4-1 Chlори Tab (without Copper Sulphate)	
United Kingdom - Occupational Exposure Limits	
Local name	Chlorine
WEL STEL	1.5 mg/m ³
	0.5 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

PPG Deluxe Multifunctional 4-1 Chlори Tab (without Copper Sulphate)

Safety Data Sheet

*** DRAFT ***

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment - Report preview:

Avoid all unnecessary exposure.

8.2.2.1. Eye and face protection

Eye protection - Report preview:

Chemical goggles or safety glasses

Eye protection			
Type	Field of application	Characteristics	Standard
	Fine dust, Dust	With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection - Report preview:

Wear suitable protective clothing

Hand protection - Report preview:

Wear protective gloves.

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
	Latex, Polyvinylchloride (PVC), Natural rubber				EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection - Report preview:

In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection			
Device	Filter type	Condition	Standard
Gas filters			EN 143
Full face mask			EN 136

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

PPG Deluxe Multifunctional 4-1 Chlори Tab (without Copper Sulphate)

Safety Data Sheet

*** DRAFT ***

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Colour	: Blue.
Appearance	: tablet.
Odour	: chlorine-like.
Odour threshold	: Not available
Melting point	: 246.8 °C
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Non flammable.
Explosive limits	: Not applicable
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: 2.5 – 4
pH solution concentration	: 0.1 %
Viscosity, kinematic	: Not applicable
Solubility	: Water: 9.4 g/l
Partition coefficient n-octanol/water (Log Kow)	: -1.31
Vapour pressure	: 66.9 Pa
Vapour pressure at 50°C	: Not available
Density	: 1.9 g/cm ³
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available

symclosene; trichloroisocyanuric acid; trichloro-1,3,5-triazinetriion (87-90-1)

Boiling point	> 250 °C
Vapour pressure	< 0.002 Pa Temp.: 20 °C

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Organic materials. Combustible materials. Acids.

PPG Deluxe Multifunctional 4-1 Chlari Tab (without Copper Sulphate)

Safety Data Sheet

*** DRAFT ***

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

symclosene; trichloroisocyanuric acid; trichloro-1,3,5-triazinetrion (87-90-1)

LD50 oral	406 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat	> 5.25 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)
LC50 Inhalation - Rat (Dust/Mist)	> 90 mg/l
ATE GB CLP (oral)	406 mg/kg bodyweight

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)
pH: 2.5 – 4
Serious eye damage/irritation : Causes serious eye damage.
pH: 2.5 – 4
Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

symclosene; trichloroisocyanuric acid; trichloro-1,3,5-triazinetrion (87-90-1)

NOAEL (animal/male, F0/P)	≈ 470 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EU Method B.35 (Two-Generation Reproduction Toxicity Test)
NOAEL (animal/female, F0/P)	≈ 950 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EU Method B.35 (Two-Generation Reproduction Toxicity Test)
NOAEL (animal/male, F1)	≈ 500 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EU Method B.35 (Two-Generation Reproduction Toxicity Test)
NOAEL (animal/female, F1)	≈ 910 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EU Method B.35 (Two-Generation Reproduction Toxicity Test)

STOT-single exposure : May cause respiratory irritation.

symclosene; trichloroisocyanuric acid; trichloro-1,3,5-triazinetrion (87-90-1)

STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)

symclosene; trichloroisocyanuric acid; trichloro-1,3,5-triazinetrion (87-90-1)

NOAEL (subchronic, oral, animal/male, 90 days)	≈ 1523 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EU Method B.33 (Combined Chronic Toxicity / Carcinogenicity Test)
NOAEL (subchronic, oral, animal/female, 90 days)	≈ 1582 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EU Method B.33 (Combined Chronic Toxicity / Carcinogenicity Test)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

PPG Deluxe Multifunctional 4-1 Chlari Tab (without Copper Sulphate)

Safety Data Sheet

*** DRAFT ***

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

PPG Deluxe Multifunctional 4-1 Chlari Tab (without Copper Sulphate)

Viscosity, kinematic	Not applicable
----------------------	----------------

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.

symclosene; trichloroisocyanuric acid; trichloro-1,3,5-triazinetriol (87-90-1)

LC50 - Fish [1]	0.23 mg/l
EC50 - Crustacea [1]	0.17 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	0.25 mg/l waterflea
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Skeletonema costatum
LOEC (chronic)	500 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	160 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	1000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'

12.2. Persistence and degradability

PPG Deluxe Multifunctional 4-1 Chlari Tab (without Copper Sulphate)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

symclosene; trichloroisocyanuric acid; trichloro-1,3,5-triazinetriol (87-90-1)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

12.3. Bioaccumulative potential

PPG Deluxe Multifunctional 4-1 Chlari Tab (without Copper Sulphate)

Partition coefficient n-octanol/water (Log Kow)	-1.31
---	-------

symclosene; trichloroisocyanuric acid; trichloro-1,3,5-triazinetriol (87-90-1)

Partition coefficient n-octanol/water (Log Pow)	0.26
---	------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

PPG Deluxe Multifunctional 4-1 Chlори Tab (without Copper Sulphate)

Safety Data Sheet

*** DRAFT ***

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
European List of Waste (LoW, EC 2000/532) : 19 09 99 - wastes not otherwise specified

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 3077	UN 3077	UN 3077	UN 3077	UN 3077
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	Environmentally hazardous substance, solid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Transport document description				
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s., 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III
14.3. Transport hazard class(es)				
9	9	9	9	9
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Dangerous for the environment	Dangerous for the environment: Dangerous for the environment Marine pollutant: Yes	Dangerous for the environment: Dangerous for the environment	Dangerous for the environment: Dangerous for the environment	Dangerous for the environment: Dangerous for the environment
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M7
Special provisions (ADR) : 274, 335, 375, 601
Limited quantities (ADR) : 5kg

PPG Deluxe Multifunctional 4-1 Chlори Tab (without Copper Sulphate)

Safety Data Sheet

*** DRAFT ***

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: PP12, B3
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1, BK1, BK2, BK3
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAV, LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V13
Special provisions for carriage - Bulk (ADR)	: VC1, VC2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	:



Tunnel restriction code (ADR)	: -
EAC code	: 2Z

Transport by sea

Special provisions (IMDG)	: 274, 335, 966, 967, 969
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP02, P002
Special packing provisions (IMDG)	: PP12
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: BK1, BK2, BK3, T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW23
MFAG-No	: 140

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y956
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 956
PCA max net quantity (IATA)	: 400kg
CAO packing instructions (IATA)	: 956
CAO max net quantity (IATA)	: 400kg
Special provisions (IATA)	: A97, A158, A179, A197, A215
ERG code (IATA)	: 9L

Inland waterway transport

Classification code (ADN)	: M7
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 kg
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T* B**
Equipment required (ADN)	: PP, A***
Number of blue cones/lights (ADN)	: 0
Additional requirements/Remarks (ADN)	: * Only in the molten state. ** For carriage in bulk see also 7.1.4.1. *** Only in the case of transport in bulk.

PPG Deluxe Multifunctional 4-1 Chlari Tab (without Copper Sulphate)

Safety Data Sheet

*** DRAFT ***

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Rail transport

Classification code (RID)	: M7
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5kg
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P002, IBC08, LP02, R001
Special packing provisions (RID)	: PP12, B3
Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T1, BK1, BK2, BK3
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAV, LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W13
Special provisions for carriage – Bulk (RID)	: VC1, VC2
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Biocide Regulation (528/2012)

Contains substance(s) listed on the Biocidal Products list (Regulation EU 528/2012 concerning the making available on the market and use of biocidal products)

Type of product (Biocide) : 2 - Disinfectants and algaecides not intended for direct application to humans or animals

Authorisation number :

Contains : symclosene; trichloroisocyanuric acid; trichloro-1,3,5-triazinetriol (95.50 % (percentage))

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

PPG Deluxe Multifunctional 4-1 Chlори Tab (without Copper Sulphate)

Safety Data Sheet

*** DRAFT ***

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

15.1.2. United Kingdom

UK REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

UK REACH Candidate List (SVHC)

Contains no substance(s) listed on the UK REACH Candidate List

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)

PPG Deluxe Multifunctional 4-1 Chlори Tab (without Copper Sulphate)

Safety Data Sheet

*** DRAFT ***

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Abbreviations and acronyms:	
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
EUH031	Contact with acids liberates toxic gas.
EUH206	Warning! Do not use together with other products. May release dangerous gases (chlorine).
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Ox. Sol. 2	Oxidising Solids, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), UK

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.