

## **Slatted CoverKleen**

Slatted CoverKleen		
1 Identification of th	ne substance/preparation and of the company/undertaking	
1. Identification of th	e substance/preparation and of the company/undertaking	
1.1 Product Ident	ifier	
Trade Name:	Slatted CoverKleen	
1.2 Relevant Iden	ntified uses of the substance or mixture and uses advised against	
LICOCY	Concentrated cleaning agent for slatted covers on swimming pools	

#### Uses: Concentrated cleaning agent for slatted covers on swimming pools.

#### 1.3 Details of the supplier of the safety data sheet Company: Complete Pool Controls Ltd Unit 2, The Park Stoke Orchard **Bishops Cleeve** Gloucestershire GL52 7RS Telephone: +44 (0) 8712 229081 Fax: +44 (0) 8712 229083 E-mail: sales@cpc-chemicals.co.uk 1.4 **Emergency Telephone** +44 (0) 8712 229081 (office hours) +44 (0) 1242 300271 (outside of office hours) Tel:

1 Classification of the subs	stance or mixtur	e
Classification according		
Skin Corr. 1A:	H314	
Eye Dam. 1	H318	
STOT SE 3	H335	
Aquatic Chronic 1	H410	
Aquatic Acute 1	H400	
For the full text of the H	statements men	tioned in this section see Section 16.
Most important adverse	effects	
Human Health:		See section 11 for toxicological information
Physical & Chemical Hazards:		See section 9 for physicochemical information
Potential environmental	effects:	See section 12 for environmental information
2 Label elements		
Hazard statements:	H314:	Causes severe skin burns and eye damage.
	H318:	Causes serious eye damage.
	H335:	May cause respiratory irritation.
	H410:	Very toxic to aquatic life with long lasting effects.
Signal words:	Danger	
Hazard pictograms:	GHS05:	Corrosion
	GHS07:	Exclamation mark
	GHS09	Environmental
	~	$\wedge$ $\wedge$

nents: P102: Keep out of reach of children
P260: Do not breathe mist/vapours/spray.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water/shower.
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
contact lenses, if present and easy to do. Continue rinsing.
P501: Dispose of contents/container in accordance with national regulations.
s which must be listed on the label Hydrochloric Acid
<b>PBT</b> : This product is not identified as a PBT/vPvB substance.

Hazardous ingredients: HYDROCHLORIC ACID

EINECS	CAS	PBT / WEL	CLP Classification	
231-595-7	7647-01-0	547-01-0 - Skin Corr. 1B: H314; STOT SE 3: H335		14; STOT SE 3: H335 10-30%
ORTHOPHOSE	PHORIC ACID	•	· · ·	
231-633-2	7664-38-2	-	Skin Corr. 1B: H314	
QUATERNARY	AMMONIUM C	OMPOUNDS, B	ENZYL-C8-18-ALKYLDIMETHYL, CHLORIDES	
264-151-6	264-151-6 63449-41-2 - Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr.   1B: H314; Aquatic Acute 1: H400 - - -			
Contains:	Mixture of lis	ted substances	s with non hazardous additions.	

# 4. First Aid measures

## 4.1 Description of first aid measures

Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.
Eye contact:	Check for and remove any contact lenses. Open eyes wide apart. Rinse opened eye with plenty of water for at least 15 minutes. Get medical attention.
Ingestion:	Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.
4.2 Most important symp	toms and effects, both acute and delayed
Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

4. First Aid m	neasures	
4.2 Most	important symptoms an	d effects, both acute and delayed
Inges		There may be soreness and redness of the mouth and throat. Nausea and stomach pain may
0		occur
Inhala	ation:	There may be irritation of the throat with a feeling of tightness in the chest.
Dela	yed / immediate effects:	Immediate effects can be expected after short-term exposure
4.3 Indica	ation of immediate medi	cal attention and special treatment needed
		Eye bathing equipment should be available on the premises.
5. Fire fightir	ng measures	
5 1 Evtin	guishing media:	
	guishing media:	Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool
5.2 Speci	al hazards arising from t	he substance or mixture
	sure hazards:	Corrosive. In combustion emits toxic fumes.
5.3 Advic	e for fire-fighters	
	e for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin
·		
6. Accidenta	l release Measures	
6.1 Perso	onal precautions, protect	ive equipment and emergency procedures
Perso	nal Precautions:	Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.
6.2 Envir	onmental precautions	
	•	Do not discharge into drains or rivers. Contain the spillage using bunding.

**6.3 Methods and materials for containment and cleaning up** Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4 Reference to other sections

For personal protection see section 8

# 7. Handling and storage

7.1 Precautions for safe handl Handling requirements	ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.
7.2 Conditions for safe storage Storage conditions:	e, including any incompatibilities. Store in a cool, well ventilated area. Keep container tightly closed.
<b>7.3 Specific end uses</b> Specific end uses	No data available.

Trade Name:

# 8. Exposure control/personal protection

1	Control parame					
	Hazardous ingre					
	Workplace expo			Respirable dust		
	State	8 hour TWA	15 min.STEL	8 hour TWA	15 min.STEL	
	UK	2 mg/m <sup>3</sup>	8 mg/m <sup>3</sup>	-	-	
	ORTHOPHOSPH	ORIC ACID10	00%			
	UK	1 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	-	-	
	DNEL/PNEC. Exposure contro Personal protec		No data available nt			
	Engineering me	asures	Ensure there is sufficient ve	entilation of the area.		
Respiratory protection		tection	Self-contained breathing apparatus must be available in case of emergency.			
	Hand protection		Impermeable gloves.			
	Hand protectior	ı	Impermeable gloves.			
	Hand protection Eye protection	1		s. Ensure eye bath is to har	nd.	

# 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Liquid
Pale brown
Irritating odour
Miscible
1.12

# **9.2 Other Information** Other Information

No data available

# 10. Stability and reactivity

10.1 Reactivity Reactivity	Stable under recommended transport or storage conditions.
10.2 Chemical stability	Stable under normal conditions.
Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous re	actions
Hazardous reactions:	Hazardous reactions will not occur under normal transport or storage conditions.
	Decomposition may occur on exposure to conditions or materials listed below.
10.4 Conditions to avoid	
Conditions to avoid	Heat
10.5 Incompatible materials	
Materials to avoid	Strong oxidising agents. Strong acids.
10.6 Hazardous decomposition	products
Haz. decomp. products:	In combustion emits toxic fumes.

#### **11. Toxilogical Information**

#### 11.1 Information on toxilogical effects

#### Toxicity values:

Route	Species	Test	Value	Units
ORAL	MUS	LD50	900	mg/kg

#### Hazardous Ingredients:

ORTHOPHOSPHORIC ACID...100%

ORL	RAT	LD50	1530	mg/kg
-----	-----	------	------	-------

## QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C8-18-ALKYLDIMETHYL, CHLORIDES

IVN	MUS	LD50	>5000	mg/kg
ORL	MUS	LD50	795	mg/kg

#### **Relevant effects for substance:**

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	INH	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

#### Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach pain may
	occur
Inhalation: Delayed / immediate effects	There may be irritation of the throat with a feeling of tightness in the chest. Immediate effects can be expected after short-term exposure.

#### 12. Ecological Information

#### 12.1 Toxicity

Hazardous ingredients:

#### QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

DAPHNIA	48H EC50	0.016	mg/l
GREEN ALGA (Selenastrum capricornutum)	48H EC50	0.02	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	0.85	mg/l

#### 12.2 Persistence and degradability

Persistence and degradability: No data available

#### 12.3 Bioaccumlative potential

Remarks: No data available

#### **12.4 Mobility in soil** Remarks:

Readily absorbed into soil.

# 12.5 Results of PBT and PvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance

# 12.6 Other adverse effects

Other adverse effects Negligible ecotoxicity

# **13. Disposal Considerations**

## **13.1 Waste treatment methods** Disposal operations:

Transfer to a suitable container and arrange for collection by specialised disposal company

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

.1	UN Number	
	UN Number	UN3264
4.2	UN proper shipping name	
	Shipping Name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID; QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16- ALKYLDIMETHYL, CHLORIDES)
14.3	Transport hazard class(es)	
	Transport class:	8
14.4	Packing Group	
	Packing Group	II
14.5	Environmental hazards	
	Environmentally hazardous:	Yes
	Marine pollutant:	yes
14.6	Special precautions for user	
	Special precautions:	Warning: Corrosive substances
	Tunnel code:	E
	Transport category:	2

#### **15. Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for this substance or mixture. Specific regulations:** Not applicable.

#### 15.2 Chemical Safety Assessment

Chemical Safety Assessment A chemical safety assessment has not been carried out for the substance or the mixture by the supplier

Other information:	This safety c 453/2010.	lata sheet is prepared in accordance with Commission Regulation (EU) No
Phrases used in s.2 and s.3:	H302	Harmful if swallowed.
	H312	Harmful in contact with skin.
	H314	Causes severe skin burns and eye damage
	H318:	Causes serious eye damage.
	H331	Toxic if inhaled.
	H335:	May cause respiratory irritation.
	H410:	Very toxic to aquatic life with long lasting effects.
Further information		
Restricted to professional user	rs. Attention	- Avoid exposure- obtain special instructions before use

warranty or merchantability, or fitness for any particular use, or any other warranty, express or implied, with respect to this information, and we assume no liability resulting from use of this information Users should make their own investigations to determine the suitability of the information for their particular needs and uses.

Indicates updated section.