# Resilience E Natural **Salt Chlorinator**



The Resilience E features advanced digital electronics and simple installation in an "all-in-one" compact unit. It was designed to ease and optimize the pool owner and operators job. From the simple and quick installation (averages 15 minutes without wiring requirements) and easy maintenance.

- Simplest installation in the market
- Ideal for private pools
- Available in three sizes to fit pools up to 150m<sup>3</sup>.
- · Designed to work with variable speed pumps
- Bi-directional flow sensor
- Double "low flow" protection

- Full range input voltage 110-220 Vac
- Built in salinity and water temperature sensors
- Replaceable electrolysis cartridge

### **Control Panel Display**

- 24 hours super chlorination mode
- Service and maintenance built in alerts
- 4 button operation
- Cell life low LED indicator
- Clean cell identification and alert



The UK's Leading Independent Swimming Pool Manufacturer and Distributor







## Resilience E - Natural Salt Chlorinator

#### **Unique Features:**

- Simplest installation in the market
- Designed to work with variable speed pumps
- · Bi-directional flow sensor
- Double "low flow" protection
- Full range input voltage 110-220 Vac
- · Built in sailinity and water temperature sensors
- · Replaceable electrolysis cartridge

#### **Control Panel Display:**

- 24 hours super chlorination mode
- Service and maintenance built in alerts
- 4 button operation
- · Cell life low LED indicator
- · Clean cell identification and alert



Control panel

Add-on adaptors for replacements of other brands. Check availability and price with your local dealer

31801100 | H2E adaptor 31801000 | D2E adaptor



Choosi	ing the	Correct	Cell	Model	for	Pool	Size

Cell Model	E18		E40		E60	
	AmbientT emperature		AmbientT emperature		AmbientT emperature	
Maximum pool size in cub. mtrs*	Above 26 °C	Less than 26 °C	Above 26 °C	Less than 26 °C	Above 26 °C	Less than 26 °C
·	50	60	80	120	120	150
Chlorine Output g/h	14		26		36	

- \* Maximum pool size is subjected to using Cyanuric acid to balance pool water.
- \* Suitable for private pools!
- \* In special pools (Overflow pools, Lap pools, , Hydrotherapy pools, Public/Commercial pools) or in cases of heightened chlorine demand (such as warmer climates, high bathers load, etc.), it is recommended to choose a larger model.



The UK's Leading Independent Swimming Pool Manufacturer and Distributor





